



## VALVOLINE™ SYN GARD™ AUTOMATIC TRANSMISSION FLUID

Valvoline™ SYN GARD™ Automatic Transmission Fluid is specifically formulated for today's technologically sophisticated heavy duty automatic transmissions. It is formulated with premium synthetic base stocks, long-life friction modifiers, special anti-wear additives, and shear stable viscosity modifiers, among other performance additives, to provide excellent thermal protection and low temperature flow, anti-wear performance and shear stability. Valvoline SYN GARD ATF is recommended for use in modern trucks, buses and utility vehicles requiring Allison TES-295 and TES-389 fluids.

### The Valvoline SYN GARD ATF Advantages:

- Synthetic fluid
- Provides protection from varnish formation and wear resulting in improved transmission life
- Strong power transfer performance and maintains longer smooth shifting over fluid life
- Provides excellent flow properties at low temperatures and greater film protection at high temperatures

### Recommended for use in the following applications:

Allison TES-295 and TES-389	Chrysler ATFs
Allison C-4	Most Asian vehicle transmissions
Volvo 97341	MB 236.1, 236.2, 236.3, 236.5, 236.6, 236.7, 236.9
Voith H55.6335.33(G607) and H55.6335.33(G1363)	
DEXRON®-IIIH and IIIG, and MERCON® MERCON V	
MAN 339F, 339 V1 and V2, 339 Z1, Z2 and Z3	
ZF TE-ML 14A, 14B, 14C, 16L, 17C	

Test	Typical Property
Viscosity @ 100°C, cSt	7.25
Viscosity @ 40°C, cSt	35.1
Viscosity Index	177
Specific Gravity @ 60°F	0.8471
Pour Point, °C,	-51
Flash Point, COC, °C	202
ASTM Color	5
Appearance	Red

### Part Numbers

Bulk	723643
Tote	840344
55 Gallon Drum	718143
5 Gallon Pail	718141
3/1 Gallons	835017

Effective Date:  
3/9/18

Author's Initials  
KD